Food and Drug Administration Center for Food Safety and Applied Nutrition Office of Special Nutritionals

ARMS#

13096



2 - LABEL SAMPLE

before meals. DO NOT EXCEED EIGHT CAPLETS PER or every four hours, on an empty stomach one hour adults, ONE to TWO caplets two to three times per day, SUGGESTED USE: As a Dietary supplement, orally

REDUCE WEIGHT. REDUCE IF NERVOUSNESS, TREMOR OR NAUSEA OCCUR. NOT INTENDED FOR PRESCRIPTION DRUG, OR INTEND ON TAKING TO OR THYROID DISEASE, DIABETES, DIFFICULTY IN OR IF YOU HAVE HIGH BLOOD PRESSURE, HEART PRIOR TO USE IF YOU ARE PREGNANT OR NURSING, SEEK ADVICE FROM A HEALTH CARE PRACTITIONER CAUTION: AS WITH ANY DIETARY SUPPLEMENT, OUT OF THE REACH OF CHILDREN. USE BY PERSONS UNDER THE AGE OF 18. KEEP IF TAKING A MAO INHIBITOR OR ANY OTHER URINATION DUE TO PROSTATE ENLARGEMENT, OR

*Based on multi-species, clinical laboratory testing 25

- 179



Herbal formula to enhance your

and provide

90 Caplets Energy

INDEPENDENTAL LABORATORY TESTED FOR *SAFETY*

Supplement Facts (40 mg naturally-occurring calleine)
a Huang Concentrate (acrui part)
12 mg naturally-occurring ephedrincs)
re Polich. int Per Serving (acrial part)... (acrial part). ming calleine) ...728 mg

Othor Ingredients: Methodol, slica, proscarmolase codum, magnesium slearaka.

Daily Value not established

Metabolife International, Inc. 85070 Santa Fe Street San Diego, CA 92109 (619) 490-5222

000002